

STANDARD PRODUCT



OUR PRODUCTS

















<u>pressure</u> <u>sensor</u>

<u>sensor</u> sensor

OUR SOLUTIONS

interface

<u>interface</u>

customisation

platform

level

solutions









temperature metering solutions solutions





delivery management



operation performance



overload management



close loop control

Note:

- PLS2, PTS2, DUS2, FMS2 and RS1 with NB IoT / Cat M1 or LoRaWAN communication technology are standard products, generally available in stock with short delivery time.
- You can order more than 4,000 product variations form our sales portal www.ellenex.shop.
- For any other products which are products are manufactured based on the order or manufactured for minimum quantity order, or customised solution out of this range, please contact ellenex client growth team for any support.



GENERAL VIEW

Ellenex table of NB-IOT / LTE CAT M1 / LoRaWAN and Wirepas products

Sensor Type	Series	Standard model	Corrosion resistant	With built-in temperature	With GPS	IECEx Approved	IP68 rated	Other models
Industrial Pressure	PT	PTS2	PTC2	PTD2	PTG2	PTSX	PTS3	PTF2 PTE2
Differential Pressure	PD	PDS2	-	-	PDG2	PDSX	-	PDT2
Submersible level	PL	PLS2	PLC2	PLD2	PLG2	PLSX	PLS3 PLV3	PLM2
Industrial temperature	TT	TTS2	-	N/A	TTG2	TTSX	TTS3	-
Distance (Ultrasonic/ Radar)	D	DUS2	DUC2	-	DUG2	-	DUS3 DUC3	DRS2

Flow	F	FTS2 Standard water flowmeter	FMS2 Industrial Water meter interface	-	-	-
Water Quality	С	CSD2 Conductivity and salinity	CTR2 Turbidity	CPH2 pH	CDO2 Dissolved Oxygen	-
Load/ Strain	L	LTS2 S-Type load cell	LSS2 Foil strain gauge	-	-	-
Moisture/ Rain/ humidity	M	MWS2 wall moisture	MSS2 soil moisture	MAS2 Humidity	MRS2 Rain sensor	
Electrical	E	ECP2 Cathodic Protection	EVM2 Voltage Measurement	ECM2 Current Measurement		
Others	-	GTS3 Geo-location	ODS2 Object detection	-	-	-

		RS1	RM1	RM4	RE1	
Sensor	R	Single channel	Multi-channel	4-channel	Preconfigured	
Interface	K	sensor	sensor	identical sensor	multi-sensor	
		interface	interface	interface		

Note:


- Products in grey colour are either manufactured on request or under development.
- GPS option is only available for Cat M1 technology.



GUIDE TO FIND THE RIGHT PRODUCT

Ellenex product codes follow a standard format to make it easy to choose.

Product codes for our LPWAN Wireless Sensors comes with below format:



1 and 2: Sensor type and sensor category

P: Pressure

PT: Industrial Pressure

PD: Pressure differential

PL: Submersible level

T: Temperature

D: Distance/ Displacement

DU: Ultrasonic

DR: Radar

F: Flow

C: Chemical parameters (mainly for water quality)

M: Moisture/Rain/humidity

L: Load, Strain and force

E: Electrical

R: Sensor interface



3: Subcategory

S: Standard

F: Flush type

M: Miniature

C: Corrosion resistant

D: With built-in temperature sensor

G: With built-in GPS

4: Version

From 1 to 9 or alphabets

2: Generation 2 with built-in features

3: IP68 rated

4: ultra-compact and modular design

A: Wireless technology

N: NB-IoT/ CAT M1

L: LoRaWAN

S: Satellite

W: Wirepas