

Accurate and efficient remote ground water level monitoring is essential for sustainable water management and mitigating the effects of climate change on water resources.

### **CHALLENGE**

In remote areas with limited infrastructure, monitoring ground water levels can be a complex and costly endeavor. Accurate and timely data collection is essential for managing water resources, predicting droughts or floods, and ensuring sustainable water use. Traditional methods often involve manual measurements and time-consuming site visits, which are not ideal for areas with difficult access and can lead to inefficient use of resources.

### **SOLUTION**

Utilizing Ellenex's battery-operated Submersible Level Sensor with NB-IoT technology offers a robust and efficient solution for remote ground water level monitoring. The IoT sensor used in this solution is the Ellenex Submersible Level Sensor, specifically designed for harsh environments and remote applications.

The benefits of using this approach include:

- Near real-time data transmission: With data transmitted every few hours, decision-makers can quickly respond to changing ground water levels and make informed decisions.
- Reduced operational costs: The battery-operated sensors eliminate the need for frequent site visits and manual measurements, significantly reducing labor and transportation costs.


### Remote Ground Water Level Monitoring



- Enhanced accuracy: The Ellenex Submersible Level Sensor provides precise measurements, ensuring reliable data for effective water resource management.
- Easy deployment and maintenance: The ruggedized, IP65-rated design of Ellenex sensors allows for easy installation and minimal maintenance, even in harsh conditions.
- Long battery life: The sensors' extended battery life ensures uninterrupted monitoring over long periods, reducing the need for frequent battery replacements.

Implementing Ellenex's battery-operated Submersible Level Sensor with NB-IoT technology can significantly improve remote groundwater level monitoring, enabling more effective water management and contributing to a sustainable future.







Ruggedised Design



Easy Install



Pre-Configured




Secure



Quick ROI

### **TECHNOLOGY**

Ellenex employs cutting-edge communication technology by utilizing the LTE Cat M1 protocol, which operates on 4G and 5G cellular networks, making it suitable for mobile and stationary monitoring applications. However, its remarkably low power consumption and superior penetration rate, specifically designed for industrial solutions, sets it apart. Narrowband Internet of Things (NB-IoT) and LTE Cat M1 are advanced communication technologies that offer significant advantages for monitoring applications. These provide efficient and reliable technologies connectivity for IoT devices, allowing for seamless communication between our sensor and remote monitoring systems. NB-IoT and LTE Cat M1 are known for their low power consumption, enabling prolonged battery life for the devices, which is crucial for remote or hard-to-reach areas. Moreover, these technologies offer excellent penetration capabilities, allowing for reliable







communication even in challenging environments, such as underground or remote locations where devices are often deployed. NB-IoT and LTE Cat M1 also provide secure and scalable connectivity, enabling robust and cost-effective solutions for monitoring applications in various industrial sectors, including agriculture, utilities, logistics, and more.

### SENSOR TECHNICAL SPECIFICATIONS

Range	10m (or other ranges upto 200m)	m
Accuracy	±0.25 (typ.)	%Span
(combined linearity, hysteresis, repeatability)		
Resolution	±0.01	%Span
Temperature Coefficient of Zero	o ≤±0.03	%FS/°C
Temperature Coefficient of Spa	n ≤±0.03	%FS/°C
Long Term Stability (1 year)	≤ 0.2	%Span
Overload Protection	150	%FS
Load Cycles (Zero to Full Scale	) 10+	Million
Storage / Operation Temperatur	re -20 ~ +85	°C
Compensated Temperature	0 ~ +60	°C
Power Supply	Built-in Replaceable Lithium Battery	
Rated Voltage	3.6	V
Battery Lifetime	10,000+ transmissions	
Sensor Materials	O-ring: Viton, Body: SS316L, Diaphragm: SS316L, Oil: Silicon, Enclosure: POM	
Weight	~1200 (for 5m range)	g
Protection Rate	IP66, UV Protected enclosure and IP68 sensor head	
SIM Card Type	4FF Nano-SIM, from any Network Provider	
Firmware Update	Over The Air, Locally via Wireless Connectivity	
Sampling Period	Configurable via downlink (default 4 hours)	
Communication Bands	B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B26/B28 and B39	
Antenna	Internal (Default)/ External (customised options available)	

## Remote Ground Water Level Monitoring



#### **PLATFORM FEATURES**


Ellenex's software platform is a comprehensive and user-friendly solution specifically designed for diesel delivery management. The platform offers a wide range of features tailored for diesel delivery operations, including real-time data visualization, customizable alerts and notifications, historical data analysis, and predictive analytics. It provides users with a holistic view of their diesel delivery assets, allowing them to make data-driven decisions for optimal fuel management. The platform is accessible via web browsers and mobile devices, providing convenient remote access to critical information anytime, anywhere. Ellenex's software platform is designed with a user-centric approach, offering intuitive navigation and a user-friendly interface for easy setup and configuration. With its advanced features and ease of use, Ellenex's software platform empowers users to effectively monitor and manage their diesel delivery operations in remote areas, ensuring efficient and sustainable fuel resource management.


- Encrypted ultra-low power communication protocol
- Advanced device inventory
- Integration APIs for enterprise systems
- Multi-tenant role-based access control
- Data export and import
- White-label platform for enterprise runs on private account
- Variable alarm setting for high and low thresholds and multi-channel alerting
- Sampling and transmission interval configuration
- Transmission condition configuration
- Other configurations and customisation available on request





# Remote Ground Water Level Monitoring

















## Remote Ground Water Level Monitoring



### **INDUSTRIES SERVED**



Agriculture & Farming



Water & Wastewater



City & Councils

### **INTEGRATION OPTIONS**

Ellenex's solution sets itself apart with its pre-configured and plug-and-play design, eliminating the complexities of configuration, programming, and connection to the platform. This unique approach ensures that users can start monitoring their diesel tanks quickly and easily without any technical hassles. Additionally, Ellenex offers seamless integratability at both the network and platform levels, allowing for easy integration with any network or visualization/analysis platform. This competitive advantage makes Ellenex's solution highly adaptable and compatible with existing systems, providing users with flexibility and convenience in managing their diesel resources effectively.

### **ORDERING PROCESS**

Ellenex offers simple and easy way to order the solution from any location on earth with narrow band cellular coverage. Please visit our sales portal (www.ellenex.shop) or contact us to discuss your application. This is the first step to experience a reliable IoT solution at scale.

## Remote Ground Water Level Monitoring





Purchase the solution online



Learn more about our Software Platform



View the Included Sensor Datasheet



Browse our other solutions

All details are subject to change without prior notice © All Rights Reserved for Ellenex

Ver. 1.3-05/23

