



# Remote Chemical Tanks Level Monitoring

**Effective remote chemical tank level monitoring is crucial to ensuring efficient operations, environmental safety, and the prevention of costly accidents.**

## CHALLENGE

Remote chemical tanks in various industries, such as oil and gas, wastewater, and agriculture, require regular monitoring to maintain optimal levels, prevent overflows, and ensure the safe storage of hazardous chemicals. Traditional monitoring methods can be labor-intensive, time-consuming, and may not provide near real-time data, increasing the risk of accidents and affecting operational efficiency.

## SOLUTION

Ellenex's battery-operated Submersible Level Sensor with corrosion resistance is a reliable solution that leverages NB-IoT technology for remote chemical tank level monitoring. The specific IoT sensor used is the Ellenex Submersible Level Sensor, designed for harsh industrial applications with an IP65 rating.

The benefits of using this approach include:

- Near real-time data: Providing timely information on tank levels to optimize operations and quickly respond to potential issues.
- Corrosion resistance: Ensuring the sensor's longevity and reliability in harsh chemical environments.


# LM-TA-C-N

## Remote Chemical Tanks Level Monitoring



- Battery-operated: Offering a low-maintenance, long-lasting solution without the need for external power sources.
- Wireless connectivity: Utilizing NB-IoT technology for seamless communication and data transmission.
- Enhanced safety: Reducing the risk of accidents by providing accurate and timely tank level data.
- Cost-effective: Reducing labor costs associated with manual inspections and maintenance.

Implementing Ellenex's Submersible Level Sensor with NB-IoT technology in remote chemical tank monitoring will significantly improve operational efficiency, safety, and environmental compliance.



Battery Operated



Ruggedised Design



Easy Install



Pre-Configured



Secure



Quick ROI

## TECHNOLOGY

Ellenex employs cutting-edge communication technology by utilizing the LTE Cat M1 protocol, which operates on 4G and 5G cellular networks, making it suitable for mobile and stationary monitoring applications. However, its remarkably low power consumption and superior penetration rate, specifically designed for industrial solutions, sets it apart. Narrowband Internet of Things (NB-IoT) and LTE Cat M1 are advanced communication technologies that offer significant advantages for monitoring applications. These technologies provide efficient and reliable connectivity for IoT devices, allowing for seamless communication between our sensor and remote monitoring systems. NB-IoT and LTE Cat M1 are known for their low power consumption, enabling prolonged battery life for the devices, which is crucial for remote or hard-to-reach areas. Moreover, these technologies offer excellent



# LM-TA-C-N

## Remote Chemical Tanks Level Monitoring



penetration capabilities, allowing for reliable communication even in challenging environments, such as underground or remote locations where devices are often deployed. NB-IoT and LTE Cat M1 also provide secure and scalable connectivity, enabling robust and cost-effective solutions for monitoring applications in various industrial sectors, including agriculture, utilities, logistics, and more.

### SENSOR TECHNICAL SPECIFICATIONS

• Range	3m (or other ranges upto 200m)	m
• Accuracy (combined linearity, hysteresis, repeatability)	±0.25 (typ.)	%Span
• Resolution	±0.01	%Span
• Temperature Coefficient of Zero	≤±0.03	%FS/°C
• Temperature Coefficient of Span	≤±0.03	%FS/°C
• Long Term Stability (1 year)	≤ 0.2	%Span
• Overload Protection	150	%FS
• Load Cycles (Zero to Full Scale)	10+	Million
• Storage / Operation Temperature	-20 ~ +85	°C
• Compensated Temperature	0 ~ +60	°C
• Power Supply	Built-in Replaceable Lithium Battery	
• Rated Voltage	3.6	V
• Battery Lifetime	10,000+ transmissions	
• Materials	Body: Hastelloy or PVDF, Diaphragm: Hastelloy or Ceramic (Al2O3), Enclosure: POM, O-ring: FKM/ FFKM	
• Weight	~1200 (for 5m range)	g
• Protection Rate	IP66, UV Protected enclosure and IP68 sensor head	
• SIM Card Type	4FF Nano-SIM, from any Network Provider	
• Firmware Update	Over The Air, Locally via Wireless Connectivity	
• Sampling Period	Configurable via downlink (default 4 hours)	
• Communication Bands	B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B26/B28 and B39	
• Antenna	Internal (Default)/ External (customised options available)	

### PLATFORM FEATURES

Ellenex's software platform is a comprehensive and user-friendly solution specifically designed for diesel delivery management. The platform offers a wide range of features tailored for diesel delivery operations, including real-time data visualization, customizable alerts and notifications, historical data analysis, and predictive analytics. It provides users with a holistic view of their diesel delivery assets, allowing them to make data-driven decisions for optimal fuel management. The platform is accessible via web browsers and mobile devices, providing convenient remote access to critical information anytime, anywhere. Ellenex's software platform is designed with a user-centric approach, offering intuitive navigation and a user-friendly interface for easy setup and configuration. With its advanced features and ease of use, Ellenex's software platform empowers users to effectively monitor and manage their diesel delivery operations in remote areas, ensuring efficient and sustainable fuel resource management.

- Encrypted ultra-low power communication protocol
- Advanced device inventory
- Integration APIs for enterprise systems
- Multi-tenant role-based access control
- Data export and import
- White-label platform for enterprise runs on private account
- Variable alarm setting for high and low thresholds and multi-channel alerting
- Sampling and transmission interval configuration
- Transmission condition configuration
- Other configurations and customisation available on request



Encrypted & ultra-low power



Integratable



Dynamic alerting



Multi-tenant



Scalable



Composable & API first



Low cost




Action management




Resource monitoring

# LM-TA-C-N


## Remote Chemical Tanks Level Monitoring




Single shot data visualisation of devices




Easy historic data analysis




Asset location indication and complex formula



Device list visualisation on map



Volume calculation and prediction



Asset location monitoring (for mobile assets)

# LM-TA-C-N

## Remote Chemical Tanks Level Monitoring



### INDUSTRIES SERVED



Mining &  
Construction



Oil & Gas

---

### INTEGRATION OPTIONS

Ellenex's solution sets itself apart with its pre-configured and plug-and-play design, eliminating the complexities of configuration, programming, and connection to the platform. This unique approach ensures that users can start monitoring their diesel tanks quickly and easily without any technical hassles. Additionally, Ellenex offers seamless integratability at both the network and platform levels, allowing for easy integration with any network or visualization/analysis platform. This competitive advantage makes Ellenex's solution highly adaptable and compatible with existing systems, providing users with flexibility and convenience in managing their diesel resources effectively.

---

### ORDERING PROCESS

Ellenex offers simple and easy way to order the solution from any location on earth with narrow band cellular coverage. Please visit our sales portal ([www.ellenex.shop](http://www.ellenex.shop)) or contact us to discuss your application. This is the first step to experience a reliable IoT solution at scale.

# LM-TA-C-N

Remote Chemical Tanks Level Monitoring



Purchase the solution online



Learn more about our Software Platform



View the Included Sensor Datasheet



Browse our other solutions

All details are subject to change without prior notice  
© All Rights Reserved for Ellenex

Ver. 1.3-05/23



## Integrated IoT Solutions ellenex

Email: [sales@ellenex.com](mailto:sales@ellenex.com)

Web: [www.ellenex.com](http://www.ellenex.com)

Platform: [ellenex.net](http://ellenex.net)

Sales Portal: [www.ellenex.shop](http://www.ellenex.shop)