

Safeguarding water quality in remote industrial treatment facilities is vital for the health of our ecosystems and the communities that depend on them.

CHALLENGE

Remote industrial water treatment units face unique challenges in monitoring water quality, including limited accessibility, harsh environmental conditions, and unreliable power sources. Ensuring consistent water quality in these units is essential to maintain safety, comply with regulations, and minimize environmental impact.

SOLUTION

Ellenex battery-operated Water Quality Sensors leveraging NB-IoT technology offer a comprehensive solution to overcome the challenges faced by remote industrial water treatment units. By employing Ellenex's ruggedized, IP65 rated pH, turbidity, and dissolved oxygen sensors, remote facilities can ensure accurate, near real-time water quality monitoring.

Benefits of this approach include:

- Enhanced reliability and durability due to ruggedized design and IP65 rating, suitable for harsh industrial environments.
- Battery-operated sensors provide long-lasting, low-maintenance monitoring without the need for a constant power source.
- Near real-time data transmission enables early detection of potential issues, allowing for timely corrective action.



Water Quality Monitoring in Remote Industrial Water Treatment Units

- Compliance with regulatory standards and minimizing environmental impact through continuous monitoring and data analysis.
- Increased accessibility and ease of deployment in remote locations through wireless connectivity.

This solution empowers remote industrial water treatment facilities to maintain optimal water quality, protect the environment, and adhere to regulatory requirements, ensuring a sustainable future for all.



Battery Operated



Ruggedised Design



Easy Install



Pre-Configured



Secure



Quick ROI

TECHNOLOGY

Ellenex employs cutting-edge communication technology by utilizing the LTE Cat M1 protocol, which operates on 4G and 5G cellular networks, making it suitable for mobile and stationary monitoring applications. However, its remarkably low power consumption and superior penetration rate, specifically designed for industrial solutions, sets it apart. Narrowband Internet of Things (NB-IoT) and LTE Cat M1 are advanced communication technologies that offer significant advantages for monitoring applications. These technologies provide efficient and reliable connectivity for IoT devices, allowing for seamless communication between our sensor and remote monitoring systems. NB-IoT and LTE Cat M1 are known for their low power consumption, enabling prolonged battery life for the devices, which is crucial for remote or hard-to-reach areas. Moreover, these technologies offer excellent penetration capabilities, allowing for reliable communication even in challenging environments,





Water Quality Monitoring in Remote Industrial Water Treatment Units

such as underground or remote locations where devices are often deployed. NB-IoT and LTE Cat M1 also provide secure and scalable connectivity, enabling robust and cost-effective solutions for monitoring applications in various industrial sectors, including agriculture, utilities, logistics, and more.



SENSOR TECHNICAL SPECIFICATIONS

•	Measure ranges	0-200	μS/cm
	conductivity	0-2000	μS/cm
		0-20	mS/cm
		0-200	mS/cm
		Selected Automatically	
•	Accuracy	±1 (typ.)	%FS
		(For more than 100 mS/cm appropriate buffer solution is required)	
•	Resolution	0.01-1 according to range	mm
•	Measurement range	5-60	g/Kg
	salinity		
•	Measurement range TDS-	0-133,000	ppm
	KCI		
•	Temperature	NTC	
	compensation		
•	Storage Temperature	-10 to +60	°C
•	Operation Temperature	0 to +50	°C
•	Power Supply	Built-in Replaceable Lithium Battery	
•	Rated Voltage	3.6	V
•	Battery Lifetime	10,000+ transmissions	
•	Materials	Sensor Head: PVC, DELRIN, stainless steel	
		Enclosure: POM	
•	Max Pressure on Sensor	5bar	
	Head		
•	Weight	~900 (for 3m cable)	g
•	Protection Rate	IP68 for sensor head and	
		IP66 UV Protected enclosure	
•	SIM Card Type	4FF Nano-SIM, from any Network Provider	
•	Firmware Update	Over The Air, Locally via Wireless Connectivity	



Water Quality Monitoring in Remote Industrial Water Treatment Units

•	Sampling Period	Configurable via downlink (default 4 hours)
•	Communication Bands	B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B26/B28 and B39
•	Antenna	Internal (Default)/ External



Water Quality Monitoring in Remote Industrial Water Treatment Units

PLATFORM FEATURES


Ellenex's software platform is a comprehensive and user-friendly solution specifically designed for diesel delivery management. The platform offers a wide range of features tailored for diesel delivery operations, including real-time data visualization, customizable alerts and notifications, historical data analysis, and predictive analytics. It provides users with a holistic view of their diesel delivery assets, allowing them to make data-driven decisions for optimal fuel management. The platform is accessible via web browsers and mobile devices, providing convenient remote access to critical information anytime, anywhere. Ellenex's software platform is designed with a user-centric approach, offering intuitive navigation and a user-friendly interface for easy setup and configuration. With its advanced features and ease of use, Ellenex's software platform empowers users to effectively monitor and manage their diesel delivery operations in remote areas, ensuring efficient and sustainable fuel resource management.


- Encrypted ultra-low power communication protocol
- Advanced device inventory
- Integration APIs for enterprise systems
- Multi-tenant role-based access control
- Data export and import
- White-label platform for enterprise runs on private account
- Variable alarm setting for high and low thresholds and multi-channel alerting
- Sampling and transmission interval configuration
- Transmission condition configuration
- Other configurations and customisation available on request








Water Quality Monitoring in Remote Industrial Water Treatment Units
















Water Quality Monitoring in Remote Industrial Water Treatment Units

INTEGRATION OPTIONS

Ellenex's solution sets itself apart with its pre-configured and plug-and-play design, eliminating the complexities of configuration, programming, and connection to the platform. This unique approach ensures that users can start monitoring their diesel tanks quickly and easily without any technical hassles. Additionally, Ellenex offers seamless integratability at both the network and platform levels, allowing for easy integration with any network or visualization/analysis platform. This competitive advantage makes Ellenex's solution highly adaptable and compatible with existing systems, providing users with flexibility and convenience in managing their diesel resources effectively.

ORDERING PROCESS

Ellenex offers simple and easy way to order the solution from any location on earth with narrow band cellular coverage. Please visit our sales portal (www.ellenex.shop) or contact us to discuss your application. This is the first step to experience a reliable IoT solution at scale.



Water Quality Monitoring in Remote Industrial Water Treatment Units



Purchase the solution online



Learn more about our Software Platform



View the Included Sensor Datasheet



Browse our other solutions

All details are subject to change without prior notice © All Rights Reserved for Ellenex

Ver. 1.3-05/23

